

GLOBEBOOM®

Proven Oil Spill Technology

PROVEN TECHNOLOGY

DESMI

Superior fence boom

GlobeBoom® range is unique in many ways. It can be used as a fast response boom or for permanent installations. It can even be stored on a reel thanks to the special high density polyethylene (HDPE) round floats that can easily nest. The floats are of a hemi-spherical design and are extremely abrasion and crush resistant. Each globe has a cast handle that allows for easy handling. Attached to both sides of the boom, they create excellent stability and also minimise reactionary forces being transmitted to the fabric generated by wave action. This also means the boom is more responsive to short period

waves. Thus the globe float is far better than an enclosed or bolted 'square' float configuration. GlobeBoom® also resists the planing failures and has operationally outperformed all other designs in its class for the difficult and demanding fast water and river applications. However, GlobeBoom® is equally at home in sheltered waters and can be deployed without power packs, reels or inflators making it a superb first response option.



GlobeBoom® is offered in 3 basic models making it as easy as ABC.

GlobeBoom® A.



Designed as an emergency first response boom and with the integrity of a light weight pure urethane coated fabric. Tough and easy to handle this GlobeBoom® LWU is supplied with aluminium connectors and an enclosed ballast chain in a self draining lower sleeve. The boom can easily interface with other DESMI systems or accessories.











GlobeBoom® B. (Extended Duty)

A heavier version of the above and with a special boom material developed by AFTI allowing for use in more extreme applications such as fast water, rivers, every day deployments and semi permanent installations. This Extended Duty design is available in various sizes up to a 900mm or 36 inch.

GlobeBoom® C.


A heavy duty design primarily for permanent and semi permanent installations such as sea water inlets and outfalls. The ballast is achieved with fixed metal weights bolted to the skirt.




 <small>per ASTM F 982</small> #3840-00 ASTM "Z"	 #2010-00 OILFENCE	 <small>per ASTM F 2438</small> #4028-00 ASTM "SLIDE" <small>Formerly UNIV TYP 1"</small>	 #4029-00 UNIV "LIGHT" <small>aka UNIV TYP 1a"</small>	 #2011-00 OF PVC
 #3003-00 UNICON UNIV TYP 2"	 CCG "SHOTGUN" <small>Special Order Only</small>	 #3043-00 NAVY MALE	 #3045-00 NAVY FEMALE	 #2016-00 OF UHMW PE

Extremely rugged and persistent barrier


GlobeBoom® is offered in 3 basic models making it as easy as **ABC**





Strong - GlobeBoom's barrier fabric suffices as the principal tension member

HDPE GlobeBoom float filled with closed cell polyurethane foam



Your DESMI contact for Oil Spill Response

DESMI offices:

Africa

DESMI Africa Ltd.
Tel.: +255 757597827

Canada

DESMI Inc.
Tel.: +1 905 321 3471

China

DESMI Pumping Technology (Suzhou) Co., Ltd.
Tel.: +86 512 6274 0400

DESMI Pumping Technology (Suzhou) Co., Ltd.
Shanghai Liaison Office
Tel.: +86 21 6071 06 00-05, 6071 06 07-13

DESMI Pumping Technology (Suzhou) Co., Ltd.
Tianjin Liaison Office
Tel.: +86 22 2317 0467

DESMI Pumping Technology (Suzhou) Co., Ltd.
Guangzhou Liaison Office
Tel.: +86 20 2831 3973

DESMI Pumping Technology (Suzhou) Co., Ltd.
Chongqing Liaison Office
Tel.: +86 23 8823 3518

DESMI Pumping Technology (Xuancheng)
Co., Ltd.
Tel.: +86 563 2612 570

Denmark

DESMI A/S - Group Head Quarter
Tagholm 1
DK-9400 Nørresundby
Tel.: +45 96 32 81 11

DESMI Pumping Technology A/S
Tel.: +45 96 32 81 11

DESMI Danmark A/S
Tel.: +45 72 44 02 50

DESMI Contracting A/S
Tel.: +45 96 32 81 11

DESMI Ro-Clean A/S
Tel.: +45 65 48 16 10

DESMI Ocean Guard A/S
Tel.: +45 96 32 81 99

Ecuador

DESMI Latinoamerica S.A.
Tel.: +593 2 326 1939

France

DESMI SARL
Tel.: +33 130 439 710

Germany

DESMI GmbH
Tel.: +49 407 519847

Greece

DESMI Greece
Tel.: +30 2114 111 893

India

DESMI India LLP
Tel.: +91-99 4933 9054

Indonesia

DESMI Ro-Clean APAC
Tel.: +62 21 570 7577

Korea

DESMI Korea
Tel.: +82 51 723 8801

Netherlands

DESMI B.V.
Tel.: +31 30 261 00 24

Norway

DESMI Norge AS
Tel.: +47 38 12 21 80

Peru

DESMI PERU
Tel.: +51 980 306 227

Poland

DESMI Sp. z o.o.
Tel.: +48 22 676 91 16

Singapore

DESMI Singapore Pte Ltd.
Tel.: +65 62 50 71 77

Sweden

DESMI Sweden
Tel.: +46 31 304 51 30

UAE

DESMI Pumping Technology A/S (Br.)
Dubai Office
Tel.: +971 4 501 5530

Abu Dhabi Office
Tel.: +971 50-821 4979

U.K.

DESMI Ltd.
Tel.: +44 1782 566900

DESMI FHS Ltd.
Tel.: +44 1782 566900

USA

DESMI Inc.
Tel.: +1 757 857 7041

- DESMI Companies
- DESMI Dealers/Agents

Please note that we do reserve the right to make changes to content, description, terms, etc. at any time without notice. 034LLGLOBLECA06AMX013

Need more information or specifications? Contact us at desmi@desmi.com or read more about DESMI and DESMI's other products and solutions at www.desmi.com

MARINE & OFFSHORE

INDUSTRY

OIL SPILL RESPONSE

DEFENCE & FUEL

UTILITY