

Diesel Engine Driven ROTAN[®] Positive Displacement Rotary Internal Gear Pump

For a Wide Range of Oil and Petroleum Fluids



DIESEL ENGINE DRIVEN

ROTAN® Positive Displacement Rotary Internal Gear Pump for a Wide Range of Applications and Handling of Oil and Petroleum Fluids



At DESMI you can find the perfect solution for handling high viscosity and other difficult liquids in remote areas where electric power supply is unstable or unavailable.

The systems are delivered with a variable flow control capable of matching the supply and the receiving end demand. At the same time the system is capable of handling fluids with viscosities ranged from 1 cSt to 250,000 cSt.

All systems can be used as portable mobile units or mounted on a mobile truck. Permanent installation is also an option. When choosing a diesel engine driven system from DESMI with our well-know ROTAN[®] pump, you get a pump solution that can handle various liquids, like:

- Bitumen
- Asphalt
- Lubricating oil and additives
- Paints and inks
- Various grades of fuel oil
- Chemicals
- Resin and polymer
- Palm oil, glycol, and bio-fuel
- Chocolate
- Etc.

DESMI ROTAN® - Superior Self-priming Capability and Gentle Liquid Handling

DESMI manufactures a series of ROTAN[®] pumps. DESMI ROTAN[®] HD is available in cast iron material and it is the most suitable pump for non-corrosive highly viscous liquids. The pump is available in sizes from 1" to 8". The stuffing box of the pumps can be equipped with mechanical shaft seal or soft packing and if heating is required, the pumps can be provided with heating jacket or electrical heaters.

DESMI ROTAN[®] CD is delivered in 316 stainless steel material. It is the most suitable pump for chemicals, acids, and many other corrosive and highly viscous liquids. The CD pump is available in sizes from 1" to 8" and the stuffing box of the pumps can be equipped with mechanical shaft seal or soft packing.

If heating is required, the pumps can be provided with heating jacket or electrical heaters.

When the DESMI ROTAN[®] pump is delivered as a skid mounted diesel engine driven system, the complete system can be equipped with:

- Manual hand clutch
- Drive shaft or flexible coupling
- Speed step down device Gear reducer or belt
 and pulley
- Spark arrestor and exhaust silencer
- Air shut-off valve
- 12V, 24V battery or manual recoil crank start
- Fuel tank with sight level gauge
- Engine control panel with gauges and meters



ROTAN[®] CD - Stainless Steel



Capacity Range: Up to 170 m³/h/748 gpm Speed: Up to 1750 rpm Differential Pressure: Up to 16 bar/232 psi Suction Lift: Up to 0.5 bar/7.25 psi vacuum while priming Up to 0.8 bar / 11.6 psi vacuum while pumping Viscosity Range: Up to 250,000 cSt Temperature: Up to 250°C/482°F ROTAN® HD - Cast Iron



Capacity Range: 250 m³/h/1100 gpm Speed: Up to 1750 rpm Differential Pressure: Up to 16 bar/232 psi Suction Lift: Up to 0.5 bar/7.25 psi vacuum while priming Up to 0.8 bar/11.6 psi vacuum while pumping Viscosity Range: Up to 250,000 cSt Temperature: Up to 250°C / 482°F

THE DESMI GROUP - ONE GLOBAL COMPANY

DESMI offices:

Africa DESMI Africa Ltd. Tel.: +255 757597827

Canada DESMI Inc.

Tel.: +1 905 321 3471

China DESMI Pumping Technology (Suzhou) Co., Ltd. Tel.: +86 512 6274 0400

 DESMI Pumping Technology (Suzhou) Co., Ltd.

 Shanghai Liaison Office

 Tel:
 +86 21 6071 06 00-05, 6071 06 07-13

DESMI Pumping Technology (Suzhou) Co., Ltd Tianjin Liaison Office Tel: +86 22 2317 0467

DESMI Pumping Technology (Suzhou) Co., Ltd. Guangzhou Liaison Office Tel: +86 20 2831 3973

DESMI Pumping Technology (Suzhou) Co., Ltd. Chongqing Liaison Office Tel.: +86 23 8823 3518

DESMI Companies DESMI Dealers/Agents DESMI Pumping Technology (Xuancheng) Co., Ltd. Tel.: +86 563 2612 570

Denmark DESMI A/S - Group Head Quarter Tagholm 1 DK-9400 Nørresundby Tel.: +45 96 32 81 11

DESMI Pumping Technology A/S Tel.: +45 96 32 81 11

DESMI Danmark A/S Tel.: +45 72 44 02 50 DESMI Contracting A/S

Tel.: +45 96 32 81 11

DESMI Ro-Clean A/S Tel.: +45 65 48 16 10

DESMI Ocean Guard A/S Tel.: +45 96 32 81 99

Ecuador DESMI Latinoamerica S.A. Tel.: +593 2 326 1939

France DESMI SARL Tel.: +33 130 439 710 Germany DESMI GmbH Tel.: +49 407 519847

Greece DESMI Greece Tel.: +30 2114 111 893

India DESMI India LLP Tel.: +91-99 4933 9054

Indonesia DESMI Ro-Clean APAC Tel: +62 21 570 7577

Korea DESMI Korea Tel: +82 51 723 8801

Netherlands DESMI B.V. Tel.: +31 30 261 00 24

Norway DESMI Norge AS Tel.: +47 38 12 21 80

Peru DESMI PERÚ Tel.: +51 980 306 227

.

Poland DESMI Sp. z o.o. Tel.: +48 22 676 91 16

Singapore DESMI Singapore Pte Ltd. Tel.: +65 62 50 71 77

Sweden DESMI Sweden Tel.: +46 31 304 51 30

UAE DESMI Pumping Technology A/S (Br.) Dubai Office Tel.: +971.4 501 5530

Abu Dhabi Office Tel.: +971 50-821 4979

U.K. DESMI Ltd. Tel.: +44 1782 566900

DESMI FHS Ltd. Tel.: +44 1782 566900

USA DESMI Inc. Tel.: +1 757 857 7041

Need more information or specifications? Contact us at desmi@desmi.com or read more about DESMI and DESMI's other products and solutions at www.desmi.com

MARINE & OFFSHORE

INDUSTRY OIL SF

IL SPILL RESPONSE

EFENCE & FUEL



www.desmi.com