



Diesel Engine Driven ROTAN® Positive Displacement Rotary Internal Gear Pump

For a Wide Range of Oil and Petroleum Fluids

DIESEL ENGINE DRIVEN

ROTAN® Positive Displacement Rotary Internal Gear Pump
for a Wide Range of Applications and Handling of
Oil and Petroleum Fluids



At DESMI you can find the perfect solution for handling high viscosity and other difficult liquids in remote areas where electric power supply is unstable or unavailable.

The systems are delivered with a variable flow control capable of matching the supply and the receiving end demand. At the same time the system is capable of handling fluids with viscosities ranged from 1 cSt to 250,000 cSt.

All systems can be used as portable mobile units or mounted on a mobile truck. Permanent installation is also an option.

When choosing a diesel engine driven system from DESMI with our well-know ROTAN® pump, you get a pump solution that can handle various liquids, like:

- Bitumen
- Asphalt
- Lubricating oil and additives
- Paints and inks
- Various grades of fuel oil
- Chemicals
- Resin and polymer
- Palm oil, glycol, and bio-fuel
- Chocolate
- Etc.

DESMI ROTAN® - Superior Self-priming Capability and Gentle Liquid Handling

DESMI manufactures a series of ROTAN® pumps. DESMI ROTAN® HD is available in cast iron material and it is the most suitable pump for non-corrosive highly viscous liquids. The pump is available in sizes from 1" to 8". The stuffing box of the pumps can be equipped with mechanical shaft seal or soft packing and if heating is required, the pumps can be provided with heating jacket or electrical heaters.

DESMI ROTAN® CD is delivered in 316 stainless steel material. It is the most suitable pump for chemicals, acids, and many other corrosive and highly viscous liquids. The CD pump is available in sizes from 1" to 8" and the stuffing box of the pumps can be equipped with mechanical shaft seal or soft packing.

If heating is required, the pumps can be provided with heating jacket or electrical heaters.

When the DESMI ROTAN® pump is delivered as a skid mounted diesel engine driven system, the complete system can be equipped with:

- Manual hand clutch
- Drive shaft or flexible coupling
- Speed step down device - Gear reducer or belt and pulley
- Spark arrestor and exhaust silencer
- Air shut-off valve
- 12V, 24V battery or manual recoil crank start
- Fuel tank with sight level gauge
- Engine control panel with gauges and meters



ROTAN® CD - Stainless Steel



ROTAN® HD - Cast Iron



Capacity Range: Up to 170 m³/h/748 gpm
Speed: Up to 1750 rpm
Differential Pressure: Up to 16 bar/232 psi
Suction Lift:
Up to 0.5 bar/7.25 psi vacuum while priming
Up to 0.8 bar / 11.6 psi vacuum while pumping
Viscosity Range: Up to 250,000 cSt
Temperature: Up to 250°C/482°F



Capacity Range: 250 m³/h/1100 gpm
Speed: Up to 1750 rpm
Differential Pressure: Up to 16 bar/232 psi
Suction Lift:
Up to 0.5 bar/7.25 psi vacuum while priming
Up to 0.8 bar/11.6 psi vacuum while pumping
Viscosity Range: Up to 250,000 cSt
Temperature: Up to 250°C / 482°F

THE DESMI GROUP - ONE GLOBAL COMPANY

DESMI offices:

Africa

DESMI Africa Ltd.
Tel.: +255 757597827

Canada

DESMI Inc.
Tel.: +1 905 321 3471

China

DESMI Pumping Technology (Suzhou) Co., Ltd.
Tel.: +86 512 6274 0400

DESMI Pumping Technology (Suzhou) Co., Ltd.
Shanghai Liaison Office
Tel.: +86 21 6071 0600-05, 6071 06 07-13

DESMI Pumping Technology (Suzhou) Co., Ltd.
Tianjin Liaison Office
Tel.: +86 22 2317 0467

DESMI Pumping Technology (Suzhou) Co., Ltd.
Guangzhou Liaison Office
Tel.: +86 20 2831 3973

DESMI Pumping Technology (Suzhou) Co., Ltd.
Chongqing Liaison Office
Tel.: +86 23 8823 3518

DESMI Pumping Technology (Xuancheng)
Co., Ltd.
Tel.: +86 563 2612 570

Denmark

DESMI A/S - Group Head Quarter
Tagholm 1
DK-9400 Nørresundby
Tel.: +45 96 32 81 11

DESMI Pumping Technology A/S
Tel.: +45 96 32 81 11

DESMI Danmark A/S
Tel.: +45 72 44 02 50

DESMI Contracting A/S
Tel.: +45 96 32 81 11

DESMI Ro-Clean A/S
Tel.: +45 65 48 16 10

DESMI Ocean Guard A/S
Tel.: +45 96 32 81 99

Ecuador

DESMI Latinoamerica S.A.
Tel.: +593 2 326 1939

France

DESMI SARL
Tel.: +33 130 439 710

Germany

DESMI GmbH
Tel.: +49 407 519847

Greece

DESMI Greece
Tel.: +30 2104 111 893

India

DESMI India LLP
Tel.: +91-99 4933 9054

Indonesia

DESMI Ro-Clean APAC
Tel.: +62 21 570 7577

Korea

DESMI Korea
Tel.: +82 51 723 8801

Netherlands

DESMI B.V.
Tel.: +31 30 261 00 24

Norway

DESMI Norge AS
Tel.: +47 38 12 21 80

Peru

DESMI PERÚ
Tel.: +51 980 306 227

Poland

DESMI Sp. z o.o.
Tel.: +48 22 676 91 16

Singapore

DESMI Singapore Pte Ltd.
Tel.: +65 62 50 71 77

Sweden

DESMI Sweden
Tel.: +46 31 304 51 30

UAE

DESMI Pumping Technology A/S (Br.)
Dubai Office
Tel.: +971 4 501 5530

Abu Dhabi Office
Tel.: +971 50-821 4979

U.K.

DESMI Ltd.
Tel.: +44 1782 566900

USA

DESMI FHS Ltd.
Tel.: +44 1782 566900
DESMI Inc.
Tel.: +1 757 857 7041

- DESMI Companies
- DESMI Dealers/Agents

Need more information or specifications? Contact us at desmi@desmi.com or read more about DESMI and DESMI's other products and solutions at www.desmi.com

MARINE & OFFSHORE

INDUSTRY

OIL SPILL RESPONSE

DEFENCE & FUEL

UTILITY